




name	 Prefabricated components for TECTASEAL internal and external corners		Roof protruding pipe fittings		Small diameter pipe fittings on the roof	Prefabricated flat steel components for roof
illustration	ACCESSORIES CATALOGUE PRODUCTION PARTNER RANGE PVC / TPO Accessories & Drain Outlets A source-image catalogue built from the actual accessory page supplied for this enquiry.					
name	Roof irregular prefabricated components		Gravity rainwater inlet	Side drain rainwater outlet	Roof lightning protection strip support	Stainless steel metal throat clamp
illustration						
MANUFACTURED BY OUR PRODUCTION PARTNER						

Main system accessories shown in the supplied product page

The phone interface has been removed; the product table itself is reproduced from the supplied image.

Main system accessories						
name	screw			shim		
purpose	For fixed systems	Fixed system (economical)	Fixed steel support plate	Fixed coil material	Fixed insulation board and cover board	
material	Hardened carbon steel, stainless steel	Hardened carbon steel, stainless steel	Hardened carbon steel, stainless steel	Hardened carbon steel, stainless steel	Hardened carbon steel, stainless steel	
illustration						
name	batten		bushing		adhesive tape	Welding rope
purpose	Waterproof layer edge fixation	Waterproof layer strengthens wind resistance and fixation	Fixed soft insulation layer		Sealing tape for vapor barrier layer	Fixed coil edge (Cooperate with edge trimming and pressure strip)
material	aluminum alloy	Galvanized steel sheet	Modified polypropylene, nylon		chloroprene rubber	Polyvinyl chloride, thermoplastic polyolefin
illustration						
name	Prefabricated components for internal and external corners		Roof protruding pipe fittings		Small diameter pipe fittings on the roof	Prefabricated flat steel components for roof
illustration						
name	Roof irregular prefabricated components		Gravity rainwater inlet	Side drain rainwater outlet	Roof lightning protection strip support	Stainless steel metal throat clamp
illustration						

Actual supplied accessory page - source image from the production partner.

Availability, dimensions, material, membrane compatibility and final naming must be confirmed in the quotation.

Screws, shims, battens, bushings, tape and welding rope

Actual product imagery cropped from the supplied accessory page.

name	screw			shim	
purpose	For fixed systems	Fixed system (economical)	Fixed steel support plate	Fixed coil material	Fixed insulation board and cover board
material	Hardened carbon steel, stainless steel	Hardened carbon steel, stainless steel	Hardened carbon steel, stainless steel	Hardened carbon steel, stainless steel	Hardened carbon steel, stainless steel
illustration					

name	batten		bushing		adhesive tape	Welding rope
purpose	Waterproof layer edge fixation	Waterproof layer strengthens wind resistance and fixation	Fixed soft insulation layer		Sealing tape for vapor barrier layer	Fixed coil edge (Cooperate with edge trimming and pressure strip)
material	aluminum alloy	Galvanized steel sheet	Modified polypropylene, nylon		chloroprene rubber	Polyvinyl chloride, thermoplastic polyolefin
illustration						



Actual supplied source crop - fixing and seam accessory group.

Source item	Typical enquiry description	Confirm before order
Screws	Fixed-system and steel-support fasteners	Substrate, length, material/coating, head and quantity
Shims / plates	Coil, insulation-board and cover-board fixing plates	Geometry, hole, material, assembly and quantity
Batten / profile	Membrane edge or wind-restraint fixation	Profile, alloy/galvanised steel, length and holes
Bushing / tape	Soft-insulation fixing or vapour-barrier sealing	Material, size, compatibility and application
Note: the source image uses “shim” and “welding rope”. Final customer-facing names should be confirmed against the supplier's formal SKU list.		

PREFORMED DETAILS

Corners, pipe flashings and roof detail pieces

Actual product imagery cropped from the supplied accessory page.

name	Prefabricated components for internal and external corners	Roof protruding pipe fittings	Small diameter pipe fittings on the roof	Prefabricated flat steel components for roof
illustration				

Actual supplied source crop - corners, pipe flashings and detail pieces.

Source item	Quotation use	Required information
Internal / external corners	Preformed thermoplastic corner details	TPO/PVC, angle, colour and quantity
Roof protruding pipe fittings	Preformed pipe flashing with membrane flange	Pipe OD, height, membrane and quantity
Small-diameter pipe fitting	Cone-shaped small penetration flashing	Pipe OD range, height and quantity
Flat steel roof component	Preformed detail around a rectangular projection	Drawing, dimensions, orientation and quantity

Compatibility: every preformed piece must match the exact TPO or PVC membrane supplied.

Gravity inlets, side drains and related components

Actual product imagery cropped from the supplied accessory page.

name	Roof irregular prefabricated components		Gravity rainwater inlet	Side drain rainwater outlet	Roof lightning protection strip support	Stainless steel metal throat clamp
illustration						

Actual supplied source crop - drains, supports and clamps.

Source item	Quotation use	Confirm
Gravity rainwater inlet	Vertical roof drain	Opening, outlet OD, flange, depth, guard and quantity
Side drain rainwater outlet	Horizontal/parapet outlet	Spigot, flange, length, fall and quantity
Lightning protection support	Roof-mounted strip/conductor support	System compatibility, dimensions and quantity

Drainage design: source imagery shows available component types only. Outlet sizing, overflow strategy and discharge capacity must be determined for the project and checked against actual connection dimensions.

Accessory list to complete before pricing

Use source-product descriptions plus drawings and dimensions for every non-standard detail.

Item	Size / configuration	Qty	Membrane / finish	Notes
Internal corners	Angle: TBC	TBC	TPO / PVC - TBC	
External corners	Angle: TBC	TBC	TPO / PVC - TBC	
Pipe flashings	Pipe OD(s): TBC	TBC	TPO / PVC - TBC	
Gravity roof drains	Outlet OD / flange: TBC	TBC	TBC	
Side / parapet drains	Spigot / flange: TBC	TBC	TBC	
Screws	Substrate / length: TBC	TBC	Coating: TBC	
Shims / plates	Type / size: TBC	TBC	TBC	
Welding rope / cord	Diameter / roll: TBC	TBC	TPO / PVC - TBC	
Batten / termination profile	Profile / length: TBC	TBC	Finish: TBC	

Send with your schedule: destination port, membrane type and thickness, roof-detail drawings, drain/pipe dimensions, substrate and attachment method, delivery date and project quantity.